



# Quality Control Equipment For Canmaking, Food and Beverage Industry

## 3-Piece Can

				
Automatic Seam Monitor <b>VSM 6A</b>	Anti-noise Seam Saw <b>CSS-100B</b>	Seam Stripper <b>STR-100</b>	Seam Saw <b>CSS-200</b>	Sanitary Can Opener <b>SCO and NIPPER</b>
				
Digital Enamel Rater <b>DER-3</b>	Coating Thickness Gauge <b>CTG-100</b>	Digital Body Blank Gauge <b>ZM570-D</b>	Leak Tester for can <b>CLT-100</b>	Leak Tester for can <b>CLT-600</b>
				
Flange width gauge <b>FWG-200-d</b>	Can Internal Diameter Gauge <b>IDG-100</b> <b>IDG-200</b>		Belt Drive Electric Seamer <b>SM-24</b>	Belt Drive Electric Seamer <b>SM-24</b>
				
Axial Load Tester <b>AXL-4000</b>	Plate Thickness Gauge <b>PTG-100</b>	Countersink Gauge <b>CSG-d</b>	Seam length gauge <b>SLG-d</b>	Seam Thickness Gauge <b>STG-200-d</b>

<b>End</b>				
				
<b>POP &amp; TEAR TESTER PTT-200</b>	Score Residue Measure System <b>LaserScore-100</b>	Score Measure Microscope <b>SMM-200</b>	Video Rivet monitor <b>VRM 3A</b>	
				
<b>Digital Enamel Rater DER-3</b>	<b>End Panel Holder EPH-100</b>	<b>End Panel Holder EPH-200</b>	<b>Coating Thickness Gauge CTG-100</b>	<b>Plate Thickness Gauge PTG-100</b>
				
<b>Leak Tester for End ELT-100</b>	<b>Buckle Tester for loose ends EBT-100</b>	<b>Countersink Gauge CSG-d</b>	<b>End Curl Height Gauge ECH-d</b>	<b>Curl Diameter Gauge CDG-100</b>
				
<b>Automatic Seam Monitor VSM 6A</b>	<b>Seam Saw CSS-200</b>	<b>Seam Stripper STR-100</b>	<b>Seam length gauge SLG-d</b>	<b>Seam Thickness Gauge STG-200-d</b>

## Food & Beverage

				
<b>Automatic Seam Monitor VSM 6A</b>	<b>Anti-noise Seam Saw CSS-100B</b>	<b>Seam Stripper STR-100</b>	<b>Seam Saw CSS-200</b>	<b>Leak Tester for can CLT-100</b>
				
<b>Digital Enamel Rater DER-3</b>	<b>Coating Thickness Gauge CTG-100</b>	<b>Countersink Gauge CSG-d</b>	<b>Belt Drive Electric Seamer SM-24</b>	<b>Seam Thickness Gauge STG-200-d</b>
				
<b>Flange width gauge FWG-100-d</b>	<b>Can Internal Diameter Gauge</b>		<b>Curl Diameter Gauge CDG-100</b>	<b>Digital Can Height Gauges DHG-300</b>
				
<b>Secure seal tester KZJ-SST-2</b>	<b>Temperature Monitor CAN-85A</b>	<b>Canners Vacuum Gauge CVG-200</b>	<b>Pressure tester 7001</b>	<b>Sanitary Can Opener SCO and NIPPER</b>
				
<b>POP &amp; TEAR TESTER PTT-200</b>		<b>Axial Load Tester AXL-4000</b>	<b>Buckle Tester Bottom for Can CBT-100</b>	<b>Bottle Pressure tester BPT-2</b>

## Aerosol Can

			
Automatic Seam Monitor <b>VSM 6A</b>	Seam Saw <b>CSS-200</b>	Seam Stripper <b>STR-100</b>	Digital Enamel Rater <b>DER-3</b>
			
Leak Tester for Aerosol can <b>ALT-100</b>	Burst Buckling Tester for aerosol cans <b>ABT-100</b>	Digital Body Blank Gauge <b>ZM570-D</b>	Coating Thickness Gauge <b>CTG-100</b>
			
Leak Tester for Aerosol can <b>ALT-600</b>	Countersink Gauge <b>CSG-d</b>	Seam Thickness Gauge <b>STG-200-d</b>	Flange width gauge <b>FWG-200-d</b>
			
Aerosol Curl Height Gauge <b>ACH-100</b>	Seam length gauge <b>SLG-d</b>	Can Internal Diameter Gauge <b>IDG-100</b>	Digital Can Height Gauges <b>DHG-300</b>

## 2-Piece Can

				
Automatic Seam Monitor <b>VSM 6A</b>	Anti-noise Seam Saw <b>CSS-100B</b>	Seam Stripper <b>STR-100</b>	Digital Enamel Rater <b>DER-3</b>	Coating Thickness Gauge <b>CTG-100</b>
				
Axial Load Tester <b>AXL-4000</b>	Buckle Tester Bottom for Can <b>CBT-100</b>	Buckle Tester for Can and end <b>CEBT-100</b>	Measure Desk For Front End <b>FMD-100</b>	Digital Can Height Gauge <b>CHG-d</b>
				
Flange width gauge <b>FWG-100-d</b>	Can Internal Diameter Gauge <b>IDG-100</b>	Countersink Gauge <b>CSG-d</b>	Seam length gauge <b>SLG-d</b>	Seam Thickness Gauge <b>STG-200-d</b>
				
POP & TEAR TESTER <b>PTT-200</b>	Plate Thickness Gauge <b>PTG-100</b>	Wall Thickness Gauge <b>WTG-100MH</b>	Bottom depth Gauge <b>BDG-100</b>	

## Canned Instrument (HongKong) Limited

19/F Hang Wai Comm Bldg, 231-233 Queen'S Rd East Wan Chai, Hongkong

**China Headquarters:** Room 1-3, No.66, Heping Road, Zhaoqing, P.R.China

Zip code:526060, Tel: +86-758-2153978, 2938185 Fax: +86-758-2782729

Email: [info@canneed.com](mailto:info@canneed.com) , <http://www.canneed.com>